

TrueNet®

CopperTen™ Unshielded Patch Cords



The TrueNet Augmented Category 6 solution supports 10 Gigabit Ethernet over unshielded copper to a full 100 metres up to 500 MHz.

CopperTen Unshielded (UTP) Patch Cords utilise the same patented technology found within the horizontal cable to minimise the effects of insertion loss and alien crosstalk (interference from adjacent cables) found at high frequencies. Alien crosstalk greatly disrupts transmission and high-speed data communications.

The high performance plug is designed with an integrated strain relief boot that prevents the cable from moving at the termination point when the cable is flexed. The strain relief boot also ensures that the correct bend radius is maintained.

The copper conductors held within the cable pairs are stranded for superior flexibility and are compacted to a near-round shape for optimum signal strength.

Features

- Patented technology to minimise the effects of alien crosstalk and insertion loss
- Supports 10 Gigabit Ethernet over unshielded copper to a full 100m up to 500MHz
- Stranded copper conductors in the cable pairs
- Flexible strain relief boot
- Fully interoperable and backwards compatible with component compliant Category 5e / Class D and Category 6 / Class E systems
- Guaranteed channel capacity that is equal to or greater than the capacity identified by the IEEE as the minimum requirement for operation on 10GBase-T

Benefits

- A lower cost route to achieve 10 Gigabit performance in the Enterprise Network
- Maximises productivity levels with 10 times the data throughput
- Minimum network latency
- Superior cable flexibility from stranded cores
- Boot maintains correct bend radius to ensure maximum performance
- True future proofing for tomorrow's network applications
- Covered by the TrueNet System Warranty

TECHNICAL DATA



Technical Assistance:
Europe & Middle East
+32 2 712 6542
euro.tac@adckrone.com
www.adckrone.com

South Africa
+27 11 466 3333
infos@adckrone.com

United Kingdom
0800 960236
contactuk@adckrone.com

Ordering Information

Description	Catalogue number
Patch cord, CopperTen RJ45 LSZH UTP Blue 1.0m	6645 2 827-04M
Patch cord, CopperTen RJ45 LSZH UTP Blue 2.0m	6645 2 827-07M
Patch cord, CopperTen RJ45 LSZH UTP Blue 3.0m	6645 2 827-10M
Patch cord, CopperTen RJ45 LSZH UTP Blue 5.0m	6645 2 827-15M

Other cable types are available upon request
Please contact ADC KRONE Customer Services for details.

Technical Specifications

Mechanical Data

Operating temperature range:	-20°C to 75°C
RJ45 Plug Interface according to:	IEC 60603-7
Transmission Performance and Reliability:	TIA/EIA 568-B.2-10 draft standard
Conductor:	24 AWG 7x32 stranded tinned copper
Jacket:	LSZH (EN 60754-1 & -2)
Nominal Outer Diameter:	6.4mm ± 0.13mm

Compliances

Safety rating:	IEC/EN 60950 LVD compliant
Flammability Rating:	IEC 60332-1

Testing requirements of connection technology according to ISO/IEC 11801 2nd Edition, ANSI/TIA/EIA-568-B.2-1 and EN 50173-1:2002 and channel testing to the latest IEE 802.3an channel requirements

TECHNICAL DATA



Web Site: www.adckrone.com

UK Office: ADC Communications (UK) Ltd., Runnings Road, Kingsditch Trading Estate, Cheltenham, Gloucestershire GL51 9NQ, United Kingdom • Phone: +44 (0) 1242 264 400 Fax: +44 (0) 1242 264 488 contactuk@adckrone.com

South African Office: ADC Communications (Africa) (Pty) Ltd., 59 Kyalami Business Park, Midrand, 1685, Johannesburg, South Africa • Phone: +27 11 466 3333 Fax: +27 11 466 3300 Email: infos@adckrone.com

EMEA Office: ADC GmbH, Beeskowdamm, 3-11, 14167 Berlin, Germany • Phone: +49 308 453 1818 Fax: +49 308 453 1703. For a listing of all ADC KRONE's global sales office locations, please refer to our web site.

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ADC KRONE reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting ADC GmbH headquarters in Berlin. ADC Telecommunications, Inc. views its patent portfolio as an important corporate asset and vigorously enforces its patents.

Part Number 102590BE Apr 06 Original © 2006 ADC Communications (UK) Ltd. All Rights Reserved